

Certificate of Conformity of the Factory Production Control 2195-CPR-1419501

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Aluminium and Aluminium Alloys - Structural Products for Construction Works

(tested for performance for the characteristics described in Annex 1 which is an inseparable part of this certificate)

produced by the manufacturer

ALTINEL ALÜMİNYUM VE PVC SANAYİ VE TİCARET A.Ş.


and produced in the manufacturing plant

ALTINEL ALÜMİNYUM VE PVC SANAYİ VE TİCARET A.Ş.

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 15088:2005

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements. This certificate was first issued on 14.07.2014, renewed on 16.07.2019 and will remain valid as long as neither the harmonised standard, the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit, this certificate should be reissued not later than 14.07.2020.


İker Ermiş ELİNÇ
Head of Construction Products Department

Certificate of Conformity of the Factory Production Control

2195-CPR-1419501

Annex 1

Intended uses;

To be used in metal structures or in composite metal structures in buildings and civil engineering

Controlled Performance Characteristics;

- Dimension and Shape Tolerances,
- Yield Strength,
- Elongation,
- Tensile Strength,
- Chemical Composition.

Product	General Conditions	Specific Conditions			Dimension	Alloy
		Mechanical spec.	Chemical spec.	Tolerances		
Round Bars	EN 755-1	EN 755-2	EN 573-3	EN 755-3	Ø from 5 mm up to 150 mm	EN AW 6005 EN AW 6060 EN AW 6063 EN AW 6061 EN AW 6082 EN AW 6463 EN AW 7075
Rectangular Section Bars				EN 755-5	from t = 2 mm - 5 mm from w = 12 mm - 200 mm	
Seamless Tubes				EN 755-7 Round Tube	from OD = 8 mm - 1500 mm	
Seamless Tubes				EN 755-7 Square Tube	from a: 8 mm - 145 mm from s: 1,2 mm - 70 mm	
Seamless Tubes				EN 755-7 Rectangular Tube	from 10 x 6 x 1,2 mm - 140 x 65 x 40 mm	
Profiles	EN 12020-1			EN 755-9	from 10 mm up to 140 mm	EN AW 6060 EN AW 6063
Precision Profiles				EN 12020-2	from 15 mm up to 1450 mm	


İlker Ertürk ELİNG
Head of Construction Products Department